



PRODUCT DESCRIPTION

Material


- Handle
- Stainless steel 1.4301, dull blasted

MORE INFORMATION

Notes

Grip: Sheet-iron drawn. Hub: Butt-welded


DRAWING



ORDER INFORMATION

Dimensions								Art. No.
d ₁	d ₂	d ₃ H7	d ₄	h ₁ ~	h ₂ ~	t min.		
[mm]								
with smooth blind hole – picture 1								
40	–	8	14	25	12.5	15	37	24690.0240
50	–	10	18	32	17.5	18	68	24690.0250
60	–	12	20	40	21.0	22	110	24690.0260
with threaded blind hole – picture 2								
40	M 8	–	14	25	12.5	15	37	24690.0440
50	M10	–	18	32	17.5	18	69	24690.0450
60	M12	–	20	40	21.0	22	112	24690.0460

APPLICATION EXAMPLE



Star Grips • similar to DIN 6336, stainless steel A4

EH 24691.


**PRODUCT DESCRIPTION**

Version without dirt trap. Convenient for all applications having high hygienic requirements (e.g. food industry).

The stainless steel A4 version ensures maximum corrosion resistance.

Material**Handle**

- Stainless steel 1.4408, precision casting, polished

DRAWING

picture 1

picture 2

ORDER INFORMATION

Dimensions								Art. No.
d ₁	d ₂	d ₄	d ₅	h ₂	t ₁ min.	t ₂		
[mm]								
with thread, drilled-out – picture 1								
32	12	M 6	6.4	20	–	10	57	24691.1332
40	14	M 8	8.4	25	–	13	103	24691.1340
50	18	M10	10.0	32	–	16	209	24691.1350
63	20	M12	13.0	40	–	20	384	24691.1363
with threaded blind hole – picture 2								
32	12	M 6	–	20	12	–	59	24691.1432
40	14	M 8	–	25	15	–	107	24691.1440
50	18	M10	–	32	18	–	221	24691.1450
63	20	M12	–	40	22	–	389	24691.1463

Star Grip Screws • stainless steel
EH 24690.



PRODUCT DESCRIPTION

Material

Handle

- Stainless steel 1.4301, dull blasted

Screw


- Stainless steel 1.4301

MORE INFORMATION

Notes

Grip: Sheet-iron drawn. Hub: Butt-welded


DRAWING



ORDER INFORMATION

Dimensions							Art. No.
d ₁	d ₂	l	d ₃	h ₁ ~	h ₂ ~		
[mm]						[g]	
40	M 8	20	14	24.0	12.0	50	24690.0140
		30	14	24.0	12.0	55	24690.0142
		40	14	24.0	12.0	57	24690.0144
50	M10	20	18	30.0	16.5	95	24690.0150
		30	18	30.0	16.5	97	24690.0152
		40	18	30.0	16.5	102	24690.0154
60	M12	30	20	37.5	20.0	155	24690.0160
		40	20	37.5	20.0	162	24690.0162
		50	20	37.5	20.0	169	24690.0164

APPLICATION EXAMPLE



Star Grips • stainless steel, solid

EH 24690.



PRODUCT DESCRIPTION



Version without dirt trap. Convenient for all applications having high hygienic requirements (e.g. food industry).

Material


Handle

- Stainless steel 1.4305, dull blasted


DRAWING



picture 1



picture 2



picture 3

ORDER INFORMATION

Dimensions									Art. No.
d ₁	d ₂ h7	d ₃	d ₄	h ₁	h ₂	t ₁ min.	t ₂		
[mm]									
with smooth blind hole – picture 1									
40	8	–	18	30.5	15	12	–	131	24690.0643
50	10	–	21	34.0	17	15	–	223	24690.0653
60	12	–	25	39.0	18	18	–	388	24690.0663
with thread, drilled-out – picture 2									
40	–	M 8	18	30.5	15	–	13	140	24690.0644
50	–	M10	21	34.0	17	–	16	216	24690.0654
60	–	M12	25	39.0	18	–	20	362	24690.0664
with threaded blind hole – picture 3									
40	–	M 6	18	30.5	15	12	–	134	24690.0645
		M 8	18	30.5	15	12	–	132	24690.0646
50	–	M 8	21	34.0	17	15	–	226	24690.0655
		M10	21	34.0	17	15	–	270	24690.0656
60	–	M10	25	39.0	18	18	–	395	24690.0665
		M12	25	39.0	18	18	–	384	24690.0666

Star Grips • plastic

EH 24750.



PRODUCT DESCRIPTION

Material

Cap

- Thermoplastic PA, black similar to RAL 9005
- Thermoplastic PA, white similar to RAL 9019
- Thermoplastic PA, orange similar to RAL 2004
- Thermoplastic PA, yellow similar to RAL 1016
- Thermoplastic PA, blue similar to RAL 5015

Handle

- Thermoplastic PA 6, black similar to RAL 9005

Threaded bushing


- Stainless steel

MORE INFORMATION

Notes

Special types, e.g. differing threads, on request.

DRAWING



ORDER INFORMATION

Dimensions								Art. No.				
d ₁	d ₂	d ₃	l ₁	l ₂	min.	max.		black	white	orange	yellow	blue
[mm]					[°C]		[g]					
30	M 4	14.0	19	7	-30	80	5.5	24750.0030	24750.0031	24750.0032	24750.0033	24750.0034
	M 5	14.0	19	7	-30	80	5.7	24750.0035	24750.0036	24750.0037	24750.0038	24750.0039
40	M 5	16.5	22	9	-30	80	8.2	24750.0040	24750.0041	24750.0042	24750.0043	24750.0044
	M 6	16.5	22	9	-30	80	9.5	24750.0045	24750.0046	24750.0047	24750.0048	24750.0049
50	M 6	22.0	26	10	-30	80	16.0	24750.0050	24750.0051	24750.0052	24750.0053	24750.0054
	M 8	22.0	26	10	-30	80	19.0	24750.0055	24750.0056	24750.0057	24750.0058	24750.0059
62	M 8	22.0	35	13	-30	80	30.0	24750.0060	24750.0061	24750.0062	24750.0063	24750.0064
	M10	22.0	35	13	-30	80	39.0	24750.0065	24750.0066	24750.0067	24750.0068	24750.0069

Star Grip Screws • plastic

EH 24750.



PRODUCT DESCRIPTION

Material

Cap

- Thermoplastic PA, black similar to RAL 9005
- Thermoplastic PA, white similar to RAL 9019
- Thermoplastic PA, orange similar to RAL 2004
- Thermoplastic PA, yellow similar to RAL 1016
- Thermoplastic PA, blue similar to RAL 5015

Handle

- Thermoplastic PA 6, black similar to RAL 9005

Screw


- Stainless steel

MORE INFORMATION

Notes

Special types, e.g. differing threads or thread lengths, on request.

DRAWING



ORDER INFORMATION

Dimensions										Art. No.				
d ₁	d ₂	l	d ₃	l ₁	l ₂	min.	max.			black	white	orange	yellow	blue
[mm]						[°C]		[g]						
30	M 4	10	14.0	19	7	-30	80	6.1		24750.0100	24750.0101	24750.0102	24750.0103	24750.0104
		14	14.0	19	7	-30	80	6.6		24750.0110	24750.0111	24750.0112	24750.0113	24750.0114
		18	14.0	19	7	-30	80	6.9		24750.0120	24750.0121	24750.0122	24750.0123	24750.0124
		23	14.0	19	7	-30	80	7.3		24750.0130	24750.0131	24750.0132	24750.0133	24750.0134
		28	14.0	19	7	-30	80	7.7		24750.0140	24750.0141	24750.0142	24750.0143	24750.0144
	M 5	10	14.0	19	7	-30	80	7.5		24750.0150	24750.0151	24750.0152	24750.0153	24750.0154
		14	14.0	19	7	-30	80	7.9		24750.0160	24750.0161	24750.0162	24750.0163	24750.0164
		18	14.0	19	7	-30	80	8.4		24750.0170	24750.0171	24750.0172	24750.0173	24750.0174
		23	14.0	19	7	-30	80	9.0		24750.0180	24750.0181	24750.0182	24750.0183	24750.0184
		28	14.0	19	7	-30	80	9.0		24750.0190	24750.0191	24750.0192	24750.0193	24750.0194
40	M 5	10	16.5	22	9	-30	80	9.6		24750.0200	24750.0201	24750.0202	24750.0203	24750.0204
		14	16.5	22	9	-30	80	10.0		24750.0210	24750.0211	24750.0212	24750.0213	24750.0214
		18	16.5	22	9	-30	80	11.0		24750.0220	24750.0221	24750.0222	24750.0223	24750.0224
		23	16.5	22	9	-30	80	12.0		24750.0230	24750.0231	24750.0232	24750.0233	24750.0234
		28	16.5	22	9	-30	80	12.0		24750.0240	24750.0241	24750.0242	24750.0243	24750.0244
	M 6	14	16.5	22	9	-30	80	12.0		24750.0250	24750.0251	24750.0252	24750.0253	24750.0254
		18	16.5	22	9	-30	80	13.0		24750.0260	24750.0261	24750.0262	24750.0263	24750.0264
		23	16.5	22	9	-30	80	14.0		24750.0270	24750.0271	24750.0272	24750.0273	24750.0274
		28	16.5	22	9	-30	80	15.0		24750.0280	24750.0281	24750.0282	24750.0283	24750.0284
		38	16.5	22	9	-30	80	16.0		24750.0290	24750.0291	24750.0292	24750.0293	24750.0294

→

Dimensions									Art. No.				
d ₁	d ₂	l	d ₃	l ₁	l ₂	min.	max.		black	white	orange	yellow	blue
[mm]						[°C]		[g]					
50	M 6	14	22.0	26	10	-30	80	19.0	24750.0300	24750.0301	24750.0302	24750.0303	24750.0304
		18	22.0	26	10	-30	80	19.0	24750.0310	24750.0311	24750.0312	24750.0313	24750.0314
		23	22.0	26	10	-30	80	20.0	24750.0320	24750.0321	24750.0322	24750.0323	24750.0324
		28	22.0	26	10	-30	80	21.0	24750.0330	24750.0331	24750.0332	24750.0333	24750.0334
		38	22.0	26	10	-30	80	23.0	24750.0340	24750.0341	24750.0342	24750.0343	24750.0344
	M 8	18	22.0	26	10	-30	80	26.0	24750.0350	24750.0351	24750.0352	24750.0353	24750.0354
		23	22.0	26	10	-30	80	27.0	24750.0360	24750.0361	24750.0362	24750.0363	24750.0364
		28	22.0	26	10	-30	80	29.0	24750.0370	24750.0371	24750.0372	24750.0373	24750.0374
		38	22.0	26	10	-30	80	32.0	24750.0380	24750.0381	24750.0382	24750.0383	24750.0384
		48	22.0	26	10	-30	80	35.0	24750.0390	24750.0391	24750.0392	24750.0393	24750.0394
62	M 8	18	22.0	35	13	-30	80	40.0	24750.0400	24750.0401	24750.0402	24750.0403	24750.0404
		23	22.0	35	13	-30	80	41.0	24750.0410	24750.0411	24750.0412	24750.0413	24750.0414
		28	22.0	35	13	-30	80	43.0	24750.0420	24750.0421	24750.0422	24750.0423	24750.0424
		38	22.0	35	13	-30	80	46.0	24750.0430	24750.0431	24750.0432	24750.0433	24750.0434
		48	22.0	35	13	-30	80	49.0	24750.0440	24750.0441	24750.0442	24750.0443	24750.0444
	M10	23	22.0	35	13	-30	80	51.0	24750.0450	24750.0451	24750.0452	24750.0453	24750.0454
		28	22.0	35	13	-30	80	54.0	24750.0460	24750.0461	24750.0462	24750.0463	24750.0464
		38	22.0	35	13	-30	80	59.0	24750.0470	24750.0471	24750.0472	24750.0473	24750.0474
		48	22.0	35	13	-30	80	64.0	24750.0480	24750.0481	24750.0482	24750.0483	24750.0484
		58	22.0	35	13	-30	80	69.0	24750.0490	24750.0491	24750.0492	24750.0493	24750.0494